

**ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM**

Invertebrate Abstract

Element Code: IILEY0V130

Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Heterocampa incongrua*

COMMON NAME: A Notodontid Moth

SYNONYMS:

FAMILY: Notodontidae

AUTHOR, PLACE OF PUBLICATION: Barnes and Benjamin, Contributions to the Natural History of the Lepidoptera of North America 5(3): 99-199. 1924.

TYPE LOCALITY:

TYPE SPECIMEN:

TAXONOMIC UNIQUENESS: There are 22 species in this genus with 6 of them occurring in Arizona.

DESCRIPTION: For the family the adults are medium sized to large, typically with a relatively long forewing and stout body that extends two or more times the width of the hind wing. The head often has scale tufts or crests. The antennae are usually bipectinate to the tip in the male, filiform or sometimes bipectinate in the female. Proboscis is usually well developed and coiled. The abdomen is densely covered with long, slender scales and sometimes dorsal scale tufts at the base. The tips of the tibial spurs are serrated. These are mostly dull-colored, tan, brown, or gray moths. The larval body is stout, nearly bare, sometimes with a long secondary setae, often possessing one or more protuberances. Larvae have two MD setae above the spiracle on abdominal segments, whereas other noctuoids have only one.

AIDS TO IDENTIFICATION: Larvae have two MD setae above the spiracle on abdominal segments, whereas other noctuoids have only one.

ILLUSTRATIONS:

TOTAL RANGE: Yavapai County Arizona east to Sacramento Mountains in south-central New Mexico and thence south in the mountains to southeastern Arizona. Specimens exist from northern Sonora, Mexico as well.

RANGE WITHIN ARIZONA: Yavapai County and southeastern Arizona.

SPECIES BIOLOGY AND POPULATION TRENDS

BIOLOGY: Non-migrant.

REPRODUCTION: In the Order Lepidoptera, segmental appendages of the abdomen are absent except for vestiges that may form parts of the genitalia. The genitalia of both sexes are often complex and bear characteristic spines, teeth, setae, and scale tufts. These structures are important in complex courtships and mating, preventing hybridization between unsuitable males and females. During copulation in males, a median, tubular organ (the aedeagus) is extended through an eversible sheath (vesica) to inseminate the female. The female genitalia exhibit a number of different patterns of the internal ducts and the openings, varying from a condition in which there are no special genital openings, insemination and egg laying taking place through a single aperture, shared with the excretory system, to one in which there are two specialized openings, one for insemination and one for oviposition, both distinct from the anus.

The testes of the male are paired in primitive lepidopterans but fused into a single organ in advanced forms. In both cases, the sperm ducts are paired. As in other insects, the sperm pass from the testes down paired ducts for storage in sacs called seminal vesicles. The female reproductive system consists of paired ovaries, paired accessory glands that provide the yolks and shells of the eggs, and a system of receptacles and ducts for receiving, conducting, and storing sperm. The individual oviducts join to form a common oviduct that leads to the vagina. In copulation, the male deposits a sperm capsule (spermatophore) in a receptacle (bursa copulatrix) of the female. The spermatophore releases the sperm, which swim into the oviduct and thence to the seminal receptacle (bulla seminalis) where they are stored until egg laying, which may be hours, days, or months after mating.

FOOD HABITS: For the family, larval foods include a wide diversity of dicot angiosperms, mainly woody shrubs and trees. A few larvae feed on grasses.

HABITAT: Woodland-mixed. Oak/juniper/pine woodland.

ELEVATION: Unknown

PLANT COMMUNITY: Unknown

POPULATION TRENDS: Unknown

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS: None

STATE STATUS: None

OTHER STATUS:

MANAGEMENT FACTORS: Threats to this species include its limited range, development and clearing on private land, and lack of proper forest management.

PROTECTIVE MEASURES TAKEN:

SUGGESTED PROJECTS: Life history, population status, and population range studies need to be performed.

LAND MANAGEMENT/OWNERSHIP: Unknown

SOURCES OF FURTHER INFORMATION

REFERENCES:

- Barnes and Benjamin. 1924. Contributions to the Natural History of the Lepidoptera of North America 5(3): 99-199.
- Borror, D.J. and R.E. White. 1970. Insects: Peterson Field Guide. Houghton Mifflin Company. Boston Massachusetts. Pp: 234.
- <http://nitro.biosci.arizona.edu/zeeb/butterflies/Noto.html>.
- <http://www.funet.fi/pub/sci/bio/life/insecta/lepidoptera/ditrysia/noctuoidea/notodontidae/oligoce n tria>.
- McGavin, G.C. 2002. Smithsonian Handbooks Insects Spiders and Other Terrestrial Arthropods. New York, New York. Pp: 166.
- NatureServe. 2004. NatureServe Explorer: An online encyclopedia of life [web application]. Version 3.1. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: August 13, 2004).
- Preston-Mafham, R. and K. Preston-Mafham. 1993. The Encyclopedia of Land Invertebrate Behaviour. The MIT Press. Cambridge, Massachusetts. Pp: 143-144.
- Resh, V.H. and R.T. Carde. 2003. Encyclopedia of Insects. Academic Press. New York, New York. Pp: 658-659.
- USGS. Available: <http://www.npwrc.usgs.gov/resource/distr/lepid/moths/az/702.htm>.

MAJOR KNOWLEDGEABLE INDIVIDUALS:

ADDITIONAL INFORMATION:

Any moth of the family Notodontidae (a notodontian) is considered a "Prominent moth", so called because the larva has a hump or prominence on its back (<http://dict.die.net>).

Revised: 2004-08-13 (AMS)
2004-09-20 (SMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.